WHAT IS CLAIMED IS:

- A method for processing input from a command line interface, wherein
 the input comprises a macro, the method comprising: replacing the macro with a
 command; and, executing the command.
 - 2. The method of claim 1, further comprising prompting a user to identify the command that is to replace the macro, wherein the replacing step further comprises replacing the macro with the entered command.

10

3. The method of claim 1, further comprising: prompting a user to identify a function that is to be used to generate a command to replace the macro; and calling the identified function to generate the command, wherein the replacing step further comprises replacing the macro with the generated command.

15

- 4. The method of claim 1, further comprising calling a script engine to generate script to replace the macro.
- 5. The method of claim 1, further comprising: prompting a user to identify
 a script that is to be used to generate a command to replace the macro; calling the a
 script engine to execute the identified script to generate the command, wherein the
 replacing step further comprises replacing the macro with the generated command.

- The method of claim 1, further comprising calling a function to generate 6. the command to replace the macro, wherein the replacing step further comprises replacing the macro with the generated command.
- The method of claim 3, wherein the function is called from a run-time 5 7. library.
 - A computer-readable medium having stored thereon computer-8. executable instructions for performing the method of claim 1.

10

20

- A method for processing a batch file comprising at least one macro, the 9. method comprising: parsing the file to locate text representing the macro; expanding the macro into a command; and executing the batch file, including the command.
- The method of claim 9, wherein the expanding step further comprises: 10. 15 in a first pass through the batch file, prompting the user to identify a function to be used to generate the command; replacing the macro with a second macro representing the identified function; in a second pass through the batch file, using the second macro to invoke the represented function and generate the command and replace the macro with the generated command.
 - The method of claim 9, wherein the expanding step further comprises: 11. in a first pass through the batch file, locating a function identified by the macro; using the identified function to generate a second macro representing a second function; in a

15

20

second pass through the batch file, using the second macro to invoke the second function and generate the command; and replacing the second macro with the generated command.

- The method of claim 9, further comprising: prompting the user to input data for expanding the macro; reading a field in the macro to determine the type of data that is to be received from the user; receiving the user input; and, expanding the macro based on the determined type of data.
- 13. The method of claim 12, wherein, if the determined data type is a filename, providing a means for allowing the user to browse available files and select a file to be used to expand the macro.
 - 14. A computer-readable medium having stored thereon computer-executable instructions for performing the method of claim 9.
 - 15. A system for processing command line input, the system comprising: a command line interface for receiving the command line input; and a command line processor for parsing the command line input, identifying one or more macros within the input, expanding the one or more macros into commands, and executing the commands.

15

- 16. The system of claim 15, further comprising a plug-in module for defining at least one of the macros, wherein the plug-in module is accessible by the command line processor.
- The system of claim 15, further comprising a run-time library having functions that are executable by the command line processor to replace at least one of the macros with a line of text.
- 18. The system of claim 15, further comprising a run-time library having

 10 functions that are executable by the command line processor to replace at least one of
 the macros with another macro.
 - by the command line processor; and a computer-readable medium having stored thereon a script that is executable by the scripting engine to replace at least one of the one or more macros with a line of text when the scripting engine is invoked by the command line processor.
- 20. The system of claim 15, further comprising a computer-readable
 20 medium having stored thereon a text file having one or more lines of commands,
 wherein at least one of the lines of commands includes at least one of the one or more
 macros.

21. The system of claim 20, further comprising a means for reading the text file.